

# PASSTECH E-smart Ultra ZP100WRN



## Tootekirjeldus

### Durable and Enhanced design (IP55)

- High impact polycarbonate/Metal housing & waterproof case (IP55)
- Aluminum die-casting locking mechanism Spring Latch & Deadbolt

### Audit Trail function

- Up to 150 lock history events as default (Offline)
- Online audit trail

### Various programming options

- Free selection(Shared use) or assigned mode(Permanent use)
- Single user for multi lockers or multi users per single locker

### Time based operation

- Automatic door opening at programmed time
- Set a time limit on the lock and/or user card

### Smartphone Accessible via BLE

- Exclusive technology of RF card and smartphone synchronization

- User friendly mobile App makes lock operation convenient and simple

### **Applied 13.56Mhz Mifare Type A RF protocol with various type of User key media**

- Card type, Wristband type, keychain type, etc. can be used

### **Easy integration with existing access control system of user site**

- One card system

### **3~5 years battery life depending on the usage**

- Approximately 15,000 cycles

### **Flexible and convenient operation**

- Simple lock programming change or upgrade firmware using RF card. No other programming devices required.

### **Highest Security**

- Unique security key by AES128 security algorithm

### **Central control and monitoring through AP**

- Real-time status monitoring of individual lock or all locks.
- Battery status, lock occupancy, alarm, lock event history etc..
- Available with Free selection or Assigned Mode.
- Entire or partial door opening/closing controlled by central server PC.
- Remote openings/closings (Individual lock, all locks, selected group of locks)
- Remote blockings (Selected Card access blockings, Selected Lock access blockings)

### **Wireless on-line system**

- Simple installation eliminating heavy work and cost
- Flexible locker relocation
- No risk of entire system suspension on the occasion of mal-function of the Server thanks to battery operated independent lock operation from the Server

TOOTENIMETUS	SOODUS	HIND
Đ-Đ»ĐµĐ°Ñ,Ñ€Đ³⁄₄Đ¹⁄₂Đ¹⁄₂Ñ<Đ¹ Đ·Đ°Đ¹⁄₄Đ³⁄₄Đ° Đ´Đ»Ñ• Ñ^Đ°Đ°Ñ,,Ñ‡Đ,Đ°Đ³⁄₄Đ² E-smart Ultra ZP100WRN-01 (RFID, ĐᵢÑ€ÑfĐ¶Đ,Đ¹⁄₂Đ¹⁄₂Đ°Ñ• Đ·Đ°Ñ%ĐµĐ»Đ°Đ°)		0.00 €
Đ-Đ»ĐµĐ°Ñ,Ñ€Đ³⁄₄Đ¹⁄₂Đ¹⁄₂Ñ<Đ¹ Đ·Đ°Đ¹⁄₄Đ³⁄₄Đ° Đ´Đ»Ñ• Ñ^Đ°Đ°Ñ,,Ñ‡Đ,Đ°Đ³⁄₄Đ² E-smart Ultra ZP100WRN-02 (RFID, Deadbolt)		0.00 €



### - 01



### - 02

