

TOOTENIMETUS	SOODUS	HIND
Đ?Đ²ĐμÑ?Đ½Đ°Ñ• Ñ?Ñ?Ñ?Đ°Đ° Mandelli AQUALUNG 1791/SB (Đ;Đ¾Đ»Đ,Ñ?Đ¾Đ²Đ°Đ½Đ½Ñ?Đ¹ Đ»Đ°Ñ?Ñ?Đ½Ñ?, Đ´Đ»Ñ• Đ´Đ²ĐμÑ?ĐμĐ¹ 44-64 Đ¼Đ¼)	103.84 ?	122.16 ?
Đ?Đ²ĐμÑ?Đ½Đ°Ñ• Ñ?Ñ?Ñ?Đ°Đ° Mandelli AQUALUNG 1791/SB (Ñ•Đ°Ñ?Đ,Đ½/Đ;Đ¾Đ»Đ,Ñ?Đ¾Đ²Đ°Đ½Đ½Ñ?Đ¹ Đ»Đ°Ñ?Ñ?Đ½Ñ?, Đ´Đ»Ñ• Đ´Đ²ĐμÑ?ĐμĐ¹ 44-64 Đ¼Đ¼)	103.43 ?	121.68 ?
Đ?Đ²ĐμÑ?Đ½Đ°Ñ• Ñ?Ñ?Ñ?Đ°Đ° Mandelli AQUALUNG 1791/SB (Đ±Đ»ĐμÑ•Ñ?Ñ•Ñ?Đ,Đ¹ Ñ Ñ?Đ¾Đ¼, Đ´Đ»Ñ• Đ´Đ²ĐμÑ?ĐμĐ¹ 44-64 Đ¼Đ¼)	109.65 ?	129.00 ?
Đ?Đ²ĐμÑ?Đ½Đ°Ñ• Ñ?Ñ?Ñ?Đ°Đ° Mandelli AQUALUNG 1791/SB (Ñ•Đ°Ñ?Đ,Đ½/Đ;Đ¾Đ»Đ,Ñ?Đ¾Đ²Đ°Đ½Đ½Ñ?Đ¹ Ñ Ñ?Đ¾Đ¼, Đ´Đ»Ñ• Đ´Đ²ĐμÑ?ĐμĐ¹ 44-64 Đ¼Đ¼)	103.28 ?	121.50 ?
Đ?Đ²ĐμÑ?Đ½Đ°Ñ• Ñ?Ñ?Ñ?Đ°Đ° Mandelli AQUALUNG 1791/SB (Đ¼Đ°Ñ?Đ¾Đ²Ñ?Đ¹ Ñ•Đ°Ñ?Đ,Đ½ Đ½Đ,Đ°ĐμĐ»Ñ?, Đ´Đ»Ñ• Đ´Đ²ĐμÑ?ĐμĐ¹ 44-64 Đ¼Đ¼)	137.50 ?	161.76 ?
Đ?Đ²ĐμÑ?Đ½Đ°Ñ• Ñ?Ñ?Ñ?Đ°Đ° Mandelli AQUALUNG 1791/SB (Đ³Ñ?Đ°Ñ?Đ,Ñ?, Đ´Đ»Ñ• Đ´Đ²ĐμÑ?ĐμĐ¹ 44-64 Đ¼Đ¼)	138.36 ?	162.78 ?
Đ?Đ²ĐμÑ?Đ½Đ°Ñ• Ñ?Ñ?Ñ?Đ°Đ° Mandelli AQUALUNG 1791/Y Ñ?Đ,Ñ?Đ¾Đ° Ñ•Đ¾Ñ?Đ²ĐμÑ?Ñ•Ñ?Đ,ĐμĐ¼ Đ´Đ»Ñ• Ñ?Đ,Đ»Đ,Đ½Đ´Ñ?Đ° (Đ;Đ¾Đ»Đ,Ñ?Đ¾Đ²Đ°Đ½Đ½Ñ?Đ¹ Đ»Đ°Ñ?Ñ?Đ½Ñ?, Đ´Đ»Ñ• Đ´Đ²ĐμÑ?ĐμĐ¹ 44-64 Đ¼Đ¼)	123.06 ?	144.78 ?
Đ?Đ²ĐμÑ?Đ½Đ°Ñ• Ñ?Ñ?Ñ?Đ°Đ° Mandelli AQUALUNG 1791/Y Ñ?Đ,Ñ?Đ¾Đ° Ñ•Đ¾Ñ?Đ²ĐμÑ?Ñ•Ñ?Đ,ĐμĐ¼ Đ´Đ»Ñ• Ñ?Đ,Đ»Đ,Đ½Đ´Ñ?Đ° (Ñ•Đ°Ñ?Đ,Đ½/Đ;Đ¾Đ»Đ,Ñ?Đ¾Đ²Đ°Đ½Đ½Ñ?Đ¹ Đ»Đ°Ñ?Ñ?Đ½Ñ?, Đ´Đ»Ñ• Đ´Đ²ĐμÑ?ĐμĐ¹ 44-64 Đ¼Đ¼)	122.04 ?	143.58 ?
Đ?Đ²ĐμÑ?Đ½Đ°Ñ• Ñ?Ñ?Ñ?Đ°Đ° Mandelli AQUALUNG 1791/Y Ñ?Đ,Ñ?Đ¾Đ° Ñ•Đ¾Ñ?Đ²ĐμÑ?Ñ•Ñ?Đ,ĐμĐ¼ Đ´Đ»Ñ• Ñ?Đ,Đ»Đ,Đ½Đ´Ñ?Đ° (Đ±Đ»ĐμÑ•Ñ?Ñ•Ñ?Đ,Đ¹ Ñ Ñ?Đ¾Đ¼, Đ´Đ»Ñ• Đ´Đ²ĐμÑ?ĐμĐ¹ 44-64 Đ¼Đ¼)	129.95 ?	152.88 ?
Đ?Đ²ĐμÑ?Đ½Đ°Ñ• Ñ?Ñ?Ñ?Đ°Đ° Mandelli AQUALUNG 1791/Y Ñ?Đ,Ñ?Đ¾Đ° Ñ•Đ¾Ñ?Đ²ĐμÑ?Ñ•Ñ?Đ,ĐμĐ¼ Đ´Đ»Ñ• Ñ?Đ,Đ»Đ,Đ½Đ´Ñ?Đ° (Ñ•Đ°Ñ?Đ,Đ½/Đ;Đ¾Đ»Đ,Ñ?Đ¾Đ²Đ°Đ½Đ½Ñ?Đ¹ Ñ Ñ?Đ¾Đ¼, Đ´Đ»Ñ• Đ´Đ²ĐμÑ?ĐμĐ¹ 44-64 Đ¼Đ¼)	121.53 ?	142.98 ?
Đ?Đ²ĐμÑ?Đ½Đ°Ñ• Ñ?Ñ?Ñ?Đ°Đ° Mandelli AQUALUNG 1791/Y Ñ?Đ,Ñ?Đ¾Đ° Ñ•Đ¾Ñ?Đ²ĐμÑ?Ñ•Ñ?Đ,ĐμĐ¼ Đ´Đ»Ñ• Ñ?Đ,Đ»Đ,Đ½Đ´Ñ?Đ° (Đ¼Đ°Ñ?Đ¾Đ²Ñ?Đ¹ Ñ•Đ°Ñ?Đ,Đ½ Đ½Đ,Đ°ĐμĐ»Ñ?, Đ´Đ»Ñ• Đ´Đ²ĐμÑ?ĐμĐ¹ 44-64 Đ¼Đ¼)	137.50 ?	161.76 ?
Đ?Đ²ĐμÑ?Đ½Đ°Ñ• Ñ?Ñ?Ñ?Đ°Đ° Mandelli AQUALUNG 1791/Y Ñ?Đ,Ñ?Đ¾Đ° Ñ•Đ¾Ñ?Đ²ĐμÑ?Ñ•Ñ?Đ,ĐμĐ¼ Đ´Đ»Ñ• Ñ?Đ,Đ»Đ,Đ½Đ´Ñ?Đ° (Đ³Ñ?Đ°Ñ?Đ,Ñ?, Đ´Đ»Ñ• Đ´Đ²ĐμÑ?ĐμĐ¹ 44-64 Đ¼Đ¼)	168.71 ?	198.48 ?
Đ?Đ²ĐμÑ?Đ½Đ°Ñ• Ñ?Ñ?Ñ?Đ°Đ° Mandelli AQUALUNG 1791/R4 Ñ•Đ;Đ¾Đ²Đ¾Ñ?Đ¾Ñ?Đ½Đ¾Đ¹ Đ°Đ½Đ¾Đ;Đ°Đ¾Đ¹ (Đ;Đ¾Đ»Đ,Ñ?Đ¾Đ²Đ°Đ½Đ½Ñ?Đ¹ Đ»Đ°Ñ?Ñ?Đ½Ñ?, Đ´Đ»Ñ• Đ´Đ²ĐμÑ?ĐμĐ¹ 44-64 Đ¼Đ¼)	159.38 ?	187.50 ?

TOOTENIMETUS	SOODUS	HIND
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli AQUALUNG 1791/R4 Ñ• Ð¿Ð³Ð²Ð³Ñ?Ð³Ñ?Ð½Ð³Ð¹ Ð°Ð½Ð³Ð¿Ð¿Ð³Ð¹ (Ñ•Ð°Ñ?Ð, Ð½/Ð¿Ð³Ð»Ð, Ñ?Ð³Ð²Ð°Ð½Ð½Ñ?Ð¹ Ð»Ð°Ñ?Ñ?Ð½Ñ?, Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 44-64 Ð¼Ð¼)	158.36?	186.30?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli AQUALUNG 1791/R4 Ñ• Ð¿Ð³Ð²Ð³Ñ?Ð³Ñ?Ð½Ð³Ð¹ Ð°Ð½Ð³Ð¿Ð¿Ð³Ð¹ (Ð±Ð»ÐµÑ?Ñ?Ñ?Ð, Ð¹ Ñ Ñ?Ð³Ð¼, Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 44-64 Ð¼Ð¼)	168.15 ?	197.82 ?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli AQUALUNG 1791/R4 Ñ• Ð¿Ð³Ð²Ð³Ñ?Ð³Ñ?Ð½Ð³Ð¹ Ð°Ð½Ð³Ð¿Ð¿Ð³Ð¹ (Ñ•Ð°Ñ?Ð, Ð½/Ð¿Ð³Ð»Ð»Ð, Ñ?Ð³Ð²Ð°Ð½Ð½Ñ?Ð¹ Ñ Ñ?Ð³¼, Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 44-64 Ð¼Ð¼)	152.64 ?	179.58 ?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli AQUALUNG 1791/R4 Ñ• Ð¿Ð³Ð²Ð³Ñ?Ð³Ñ?Ð½Ð³Ð¹ Ð°Ð½Ð³Ð¿Ð¿Ð³Ð¹ (Ð¼Ð°Ð°Ñ?Ð³Ð²Ñ?Ð¹ Ñ•Ð°Ñ?Ð, Ð½ Ð½Ð, Ð°ÐµÐ»Ñ?, Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 44-64 Ð¼Ð¼)	202.32 ?	238.02 ?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli AQUALUNG 1791/R4 Ñ• Ð¿Ð³Ð²Ð³Ñ?Ð³Ñ?Ð½Ð³Ð¹ Ð°Ð½Ð³Ð¿Ð¿Ð³Ð¹ (Ð³Ñ?Ð°Ñ?Ð, Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 44-64 Ð¼Ð¼)	216.65 ?	254.88 ?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli AQUALUNG 1791/BSY Ñ?Ð, Ñ?Ð³Ð° Ñ• Ð³Ñ?Ð²ÐµÑ?Ñ?Ñ?Ð, ÐµÐ¼ Ð´Ð»Ñ• Ñ?Ð, Ð»Ð, Ð½ÐÑ?Ð° (Ð¿Ð³Ð»Ð»Ð, Ñ?Ð³Ð²Ð°Ð½Ð½Ñ?Ð¹ Ð»Ð°Ñ?Ñ?Ð½Ñ?, Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 36- 56 Ð¼Ð¼)	116.48 ?	137.04 ?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli AQUALUNG 1791/BSY Ñ?Ð, Ñ?Ð³Ð° Ñ• Ð³Ñ?Ð²ÐµÑ?Ñ?Ñ?Ð, ÐµÐ¼ Ð´Ð»Ñ• Ñ?Ð, Ð»Ð, Ð½ÐÑ?Ð° (Ñ•Ð°Ñ?Ð, Ð½/Ð¿Ð³Ð»Ð»Ð, Ñ?Ð³Ð²Ð°Ð½Ð½Ñ?Ð¹ Ð»Ð°Ñ?Ñ?Ð½Ñ?, Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 36-56 Ð¼Ð¼)	114.34 ?	134.52 ?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli AQUALUNG 1791/BSY Ñ?Ð, Ñ?Ð³Ð° Ñ• Ð³Ñ?Ð²ÐµÑ?Ñ?Ñ?Ð, ÐµÐ¼ Ð´Ð»Ñ• Ñ?Ð, Ð»Ð, Ð½ÐÑ?Ð° (Ð±Ð»ÐµÑ?Ñ?Ñ?Ð, Ð¹ Ñ Ñ?Ð³¼, Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 36-56 Ð¼Ð¼)	125.92 ?	148.14 ?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli AQUALUNG 1791/BSY Ñ?Ð, Ñ?Ð³Ð° Ñ• Ð³Ñ?Ð²ÐµÑ?Ñ?Ñ?Ð, ÐµÐ¼ Ð´Ð»Ñ• Ñ?Ð, Ð»Ð, Ð½ÐÑ?Ð° (Ñ•Ð°Ñ?Ð, Ð½/Ð¿Ð³Ð»Ð»Ð, Ñ?Ð³Ð²Ð°Ð½Ð½Ñ?Ð¹ Ñ Ñ?Ð³¼, Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 36-56 Ð¼Ð¼)	114.19 ?	134.34 ?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli AQUALUNG 1791/BSY Ñ?Ð, Ñ?Ð³Ð° Ñ• Ð³Ñ?Ð²ÐµÑ?Ñ?Ñ?Ð, ÐµÐ¼ Ð´Ð»Ñ• Ñ?Ð, Ð»Ð, Ð½ÐÑ?Ð° (Ð¼Ð°Ð°Ñ?Ð³Ð²Ñ?Ð¹ Ñ•Ð°Ñ?Ð, Ð½ Ð½Ð, Ð°ÐµÐ»Ñ?, Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 36-56 Ð¼Ð¼)	130.15 ?	153.12 ?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli AQUALUNG 1791/BSY Ñ?Ð, Ñ?Ð³Ð° Ñ• Ð³Ñ?Ð²ÐµÑ?Ñ?Ñ?Ð, ÐµÐ¼ Ð´Ð»Ñ• Ñ?Ð, Ð»Ð, Ð½ÐÑ?Ð° (Ð³Ñ?Ð°Ñ?Ð, Ñ? Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 36-56 Ð¼Ð¼)	161.01 ?	189.42 ?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli AQUALUNG 1791/BS SB (Ð¿Ð³Ð»Ð»Ð, Ñ?Ð³Ð²Ð°Ð½Ð½Ñ?Ð¹ Ð»Ð»Ñ?, Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 36- 56 Ð¼Ð¼)	101.39 ?	119.28 ?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli AQUALUNG 1791/BS SB (Ñ•Ð°Ñ?Ð, Ð½/Ð¿Ð³Ð»Ð»Ð, Ñ?Ð³Ð²Ð°Ð½Ð½Ñ?Ð¹ Ð»Ð»Ñ?Ñ?Ð½Ñ?, Ð´Ð»Ñ• Ð´Ð²ÐµÑ?ÐµÐ¹ 36-56 Ð¼Ð¼)	100.27 ?	117.96 ?

TOOTENIMETUS	SOODUS	HIND
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli AQUALUNG 1791/BS SB (Ð±Ð»ÐµÑ•Ñ?Ñ•Ñ?Ð, Ð¹ Ñ?Ð¾Ð¼, Ð´Ð»Ñ• Ð²ÐµÑ?ÐµÐ¹ 36-56 Ð¼Ð¼)	108.48?	127.62?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli AQUALUNG 1791/BS SB (Ñ•Ð°Ñ?Ð, Ð½/Ð¿Ð»Ð»Ð»Ð»Ñ?Ð¾Ð²Ð½Ñ?Ð¹ Ñ?Ð¾Ð¼, Ð´Ð»Ñ• Ð²ÐµÑ?ÐµÐ¹ 36-56 Ð¼Ð¼)	102.20 ?	120.24 ?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli AQUALUNG 1791/BS SB (Ð¼Ð°Ñ?Ð¾Ñ?Ð¾Ñ?Ð¹ Ñ•Ð°Ñ?Ð, Ð½ Ð½Ð, Ð°ÐµÑ?, Ð´Ð»Ñ• Ð²ÐµÑ?ÐµÐ¹ 36-56 Ð¼Ð¼)	112.35 ?	132.18 ?
Ð?Ð²ÐµÑ?Ð½Ð°Ñ• Ñ?Ñ?Ñ?Ð°Ð° Mandelli AQUALUNG 1791/BS SB (Ð³Ñ?Ð°Ñ?Ð, Ð½?, Ð´Ð»Ñ• Ð²ÐµÑ?ÐµÐ¹ 36-56 Ð¼Ð¼)	135.30 ?	159.18 ?

