

TOOTENIMETUS	SOODUS	HIND
Đ?Đ ^{3/4} Ñ?Ñ?Đ ^{3/4} Đ ² Ñ?Đ ¹ Ñ•Ñ?Đ, Đ° Silmec S90 (Đ ^{1/2} Đ _μ Ñ?Đ ¹ Đ°Đ ² Đ _μ Ñ?Ñ?Đ°Ñ•Ñ•Ñ?Đ°Đ»Ñ?)		98.82 ?
Đ?Đ ^{3/4} Ñ?Ñ?Đ ^{3/4} Đ ² Ñ?Đ ¹ Ñ•Ñ?Đ, Đ° Silmec S90 (Đ°Ñ?Đ _μ Đ ^{1/4} Đ ^{3/4} Đ ² Ñ?Đ)		88.82 ?
Đ?Đ ^{3/4} Ñ?Ñ?Đ ^{3/4} Đ ² Ñ?Đ ¹ Ñ•Ñ?Đ, Đ° Silmec S90 (Ñ?Đ ^{3/4} Đ ^{1/2} Ñ?Đ ¹ Đ°Đ ² Ñ?Đ, Đ ^{1/2} Ñ?)		88.82 ?
Đ?Đ ^{3/4} Ñ?Ñ?Đ ^{3/4} Đ ² Ñ?Đ ¹ Ñ•Ñ?Đ, Đ° Silmec S90 (Đ•Đ _μ Đ»Ñ?Đ ^{1/2} Ñ?Đ ¹ Đ ^{3/4} Đ _đ Đ°Đ», RAL 6026)		88.82 ?
Đ?Đ ^{3/4} Ñ?Ñ?Đ ^{3/4} Đ ² Ñ?Đ ¹ Ñ•Ñ?Đ, Đ° Silmec S90 (Đ ^{3/4} Ñ?Đ, Đ ^{1/2} Đ°Đ ^{3/4} Đ ² Đ°Đ ^{1/2} Đ ^{1/2} Đ°Ñ•Đ ¹ Đ _μ Ñ•Ñ?Ñ?, Ñ•Đ _μ Ñ?Ñ?Đ ¹)		88.82 ?
Đ?Đ ^{3/4} Ñ?Ñ?Đ ^{3/4} Đ ² Ñ?Đ ¹ Ñ•Ñ?Đ, Đ° Silmec S90 (Ñ•Đ _μ Ñ?Ñ?Đ ¹)		104.92 ?

